







产品型号	PT232161	
额定输入	1mA	2mA
额定输出	1mA	2mA
推荐负载	$\leq 200\Omega$	$\leq 200\Omega$
精度等级	0.1 / 0.2 (仅限比差)	
外形尺寸	 The technical drawing illustrates the physical dimensions of the PT232161 sensor. The front view (left) shows a rectangular component with a width of 19.5 and a height of 18.2. It features two mounting pins at the bottom, with a pin diameter of 0.8 and a base thickness of 4.0. The top view (right) shows the same component from above, with a width of 19.5 and a height of 12.8. It highlights the internal coil structure with four terminals labeled 1, 2, 3, and 4. Terminals 1 and 2 are on the left, and 3 and 4 are on the right. The distance between the left terminals is 14.0, and the distance between the right terminals is 18.0. There are also asterisks (*) near terminals 2 and 4.	


产品型号	PT232361	
额定输入	1mA	2mA
额定输出	1mA	2mA
推荐负载	$\leq 200\Omega$	$\leq 500\Omega$
精度等级	0.1 / 0.2 (仅限比差)	
外形尺寸	 The technical drawing consists of two views of a rectangular component. The front view (left) shows a rectangle with a width of 19.5 and a height of 18.9. Two mounting pins are shown at the bottom, with a dimension of 5 indicating the distance from the bottom edge to the top of the pins. The top view (right) shows the same rectangle with a width of 19.5 and a height of 17. It includes internal details: a central square area with a width of 10, two red coils (one on the left, one on the right), and four terminals labeled 1, 2, 3, and 4. Terminals 1 and 2 are on the left coil, and 3 and 4 are on the right coil. There are also two asterisks (*) at the top corners. A dimension of 12.8 is shown for the distance from the bottom edge to the top of the coils. A dimension of $\varnothing 0.8$ is shown for the diameter of the mounting holes.	

产品型号	PT232461	
额定输入	1mA	2mA
额定输出	1mA	2mA
推荐负载	$\leq 200\Omega$	$\leq 200\Omega$
精度等级	0.1 / 0.2 (仅限比差)	
外形尺寸	 The technical drawing illustrates the physical dimensions of the PT232461 sensor. The front view (left) shows a rectangular component with a width of 19.0 and a height of 18.2. It features two mounting pins at the base, each with a diameter of 0.8 and a height of 5.0. The side view (right) shows the component's profile with a width of 16.2, a total height of 10.0, and a mounting pin height of 7.2. Internal wiring is depicted in red, showing two coils connected to terminals 1, 2, 3, and 4, with asterisks indicating specific connection points.	

产品型号	PT232561	
额定输入	1 mA	2mA
额定输出	1 mA	2mA
推荐负载	$\leq 200\Omega$	$\leq 200\Omega$
精度等级	0.1 / 0.2 (仅限比差)	
外形尺寸		

产品型号	PT232661	
额定输入	1 mA	2mA
额定输出	1 mA	2mA
推荐负载	$\leq 200\Omega$	$\leq 200\Omega$
精度等级	0.1 / 0.2 (仅限比差)	
外形尺寸	 Technical drawing of the PT232661 sensor showing front and top views with dimensions. Front View Dimensions: - Overall width: 19 - Internal width: 17.5 - Overall height: 18 - Bottom mounting hole diameter: 4-Ø0.6 - Bottom mounting hole offset: 3.5±0.2 Top View Dimensions: - Overall length: 15.24 - Overall width: 10 - Internal width: 7.62 - Terminal positions: 1, 2, 3, 4 - Mounting holes: marked with asterisks (*)	

产品型号	PT232861	
额定输入	1mA	2mA
额定输出	1mA	2mA
推荐负载	$\leq 200\Omega$	$\leq 500\Omega$
精度等级	0.1 / 0.2 (仅限比差)	
外形尺寸	 The technical drawing consists of two views of the PT232861 sensor. The left view is a side profile showing a rectangular body with two mounting tabs on the sides. Dimensions include a total width of 10mm, a mounting tab width of 2.9±0.2mm, and a central body width of 14±0.2mm. The right view is a top-down perspective showing the sensor's footprint. It features two red coils, each with four turns, labeled 1, 2, 3, and 4. The coils are connected to four terminals, marked with asterisks (*). The overall dimensions are 14±0.2mm in width and 16.5mm in height. The distance between the terminals is 12±0.2mm. The mounting holes are specified as 4-Ø0.8.	

产品型号	PT232961	
额定输入	1mA	2mA
额定输出	1mA	2mA
推荐负载	<200Ω	<200Ω
精度等级	0.1 / 0.2	0.1 / 0.2
外形尺寸		

产品型号	PT233061	
额定输入	1mA	2mA
额定输出	1mA	2mA
推荐负载	<200Ω	<200Ω
精度等级	0.1 / 0.2	0.1 / 0.2
外形尺寸	